

INDEX MAPS.

T. 6 N. R. 7 E. 2nd Mer.

	7 ₈		7 ₈		7 ₈		7 ₈		7 ₉		6 ₉	
11	6	31	5	26	4	22	3	19	2	15	1	6
	31		31		26		22		18		15	
16	7	30	8	25	9	22	10	18	11	14	12	5
	30		30		25		21		18		14	
10	18	27	17	25	16	21	15	17	14	13	13	5
	27		27		25		21		17		13	
10	19	28	20	24	21	20	22	17	23	13	24	5
	28		28		24		20		16		12	
10	30	27	29	24	28	20	27	16	26	12	25	4
	27		27		23		19		16		12	
9	31	26	32	23	33	19	34	15	35	11	36	4
	2		1 ₂		1 ₃		1 ₃		1 ₃		1 ₃	

T. 7 N. R. 7 E. 2nd Mer.

	38 40	38 40	38 40	38 40	38 40	38 39	39					
42	6	63	5	59	4	56	3	54	2	53	1	37
	63		63		58		56		54		52	
42	7	62	8	58	9	56	10	54	11	52	12	37
	62		62		58		55		53		45	
41	18	61	17	57	16	55	15		14	44	13	36
	61		61		57		55		47		44	
41	19	60	20	57	21	49	22	47	23	44	24	36
	60		60		57		50		49		46	
41	30	59	29	50	28	45	27	46	26	43	25	36
	59		59		52		51		46		43	
40	31	51	32	49	33	48	34	45	35	42	36	36
	34		33		33		33		33		33	

The figures on the lines refer to the page.

33

Township N. 7 North, Range N. 7 East 2. Mer. Indiana

South Boundary.

Met On Rand^m. S. boundary of Sec. 36

0.50 a Brook 3¹/₄ hrs. wide Course N.W.

11.00 a do 3 " " " N.

20.00 a Creek 30 " " " S.W.

39.00 a do. 30 " " " N.W.

40.00 Let temp^y. gr. Sec. post

45.00 a Creek 30 hrs. wide Course S.W.

65.00 a do 30 " " " N.W.

80.00 Let temp^y. Cor. to Sec. 35 of 36

Generally uneven good land, timber Beech, Oak &c

Met On Rand^m. S. boundary of Sec. 35

27.00 a Creek 10 hrs. wide Course S.W.

40.00 Let temp^y. gr. Sec. post

49.50 a Brook 2 hrs. wide Course S.

80.00 Let temp^y. Corner to Sec. 34 of 35

Level Beech land

Met On Rand^m. S. boundary of Sec 34

5.00 a Brook 5 hrs. wide Course S.

40.00 Let temp^y. gr. Sec. post

80.00 Let temp^y. Cor. to Sec. 33 of 34

Land level, timber Beech, Oak &c

Met On Rand^m. S. boundary of Sec 33

14.50 a Brook 3 hrs. wide Course S.

40.00 Let temp^y. gr. Sec. post

43.00 a Brook 3 hrs. wide Course S.

50.00 a do 3 " " " S.

80.00 Let temp^y. Cor. to Sec. 32 of 33

Land level, timber Beech, Oak &c.

Met On Rand^m. S. boundary of Sec. 32

2.00 a Brook 3 hrs. wide Course S.

31.00 a Creek 50 " " " S.W.

T^hN R²E 2^d Mer. Indianach² lth36.00 a Brook 3 lth. wide Course S.40.00 Set temp^y. g^r. Sec. post49.00 a Brook 3 lth. wide Course S.

73.00 a do 4 " " " S.

80.00 Set temp^y. Cor. to Sec^s. 31 & 32

Level land, timber Beech, Poplar, Oak &c

West On Rand^m. S. boundary of Sec. 3110.00 a Brook 3 lth. wide Course S. W.

20.00 a do. 10 " " " S.

40.00 Set temp^y. g^r. Sec. post80.50 fell 25 lth. South of the Corner toTownship 6 & 7 North, Range 6 & 7 East
Level land, timber Beech &c.October 2^d 1806. var. 5.50' E.

East On true line S. boundary of Sec. 31

40.25 Set g^r. Sec. post, from whicha Beech 12 in. dia. bears S 30 W 12 lth. dist. &

a No. 7 " " " N 75 E 29 " "

80.50 Set post Cor. to Sec^s. 31 & 32, from whicha Beech 10 in. dia. bears S 36 W 8 lth. dist. &

a No. 16 " " " N 51 E 10 " "

East On true line S. boundary of Sec. 32.

40.00 Set g^r. Sec. post, from whicha Sugar 12 in. dia. bears N 84 W 8 lth. dist. &

a Beech 18 " " " S 74 E 14 " "

80.00 Set post Cor. to Sec^s. 32, & 33, from whicha Beech 11 in. dia. bears S 40 E 17 lth. dist. &

a No. 30 " " " N 9 W 27 " "

East On true line S. boundary of Sec. 33.

40.00 Set g^r. Sec. post, from whicha Beech 10 in. dia. bears N 68 W 10 lth. dist. &

a No. 9 " " " S 52 E 24 " "

35

T^yN R^yE. 2^d. Mer. Indiana

ch. l. lth.

80.00 Set post Cor. to Sec^s. 33 & 34, from which
a Beech 3 in. dia. bears N 14 W 24 lth. dist. &
a No. 10 " " " S 5 W 14 " "

East On true line S. boundary of Sec^s. 34

40.00 Set q. Sec. post, from which
a Beech 10 in. dia. bears N 84 E 13 lth. dist. &
a No. 12 " " " N 78 W 32 " "

80.00 Set post Cor. to Sec^s. 34 & 35, from which
a Beech 12 in. dia. bears West 27 lth. dist. &
a Poplar 36 " " " N 69 E 9 " "

East On true line S. boundary of Sec^s. 35.

40.00 Set q. Sec. post, from which
a Beech 12 in. dia. bears S 35 W 21 lth. dist. &
a No. 18 " " " North 27 " "

80.00 Set post Cor. to Sec^s. 35 & 36, from which
a Beech 12 in. dia. bears S 85 W 18 lth. dist. &
a No. 12 " " " N 40 E 16 " "

East On true line S. boundary of Sec^s. 36.

40.00 Set q. Sec. post, from which
a Beech 8 in. dia. bears S 44 E 14 lth. dist. &
a No. 16 " " " N 69 W 26 " "

80.00 to the township Corner

East Boundary. var 5.50 E.

North On E. boundary of Sec. 36, T^yN R^yE.

8.00 a Brook 3 lth. wide Course W.

31.00 a No 3 " " " W.

40.00 Set q. Sec. post, from which
a W. Oak 24 in. dia. bears N 45 W 25 lth. dist. &
a Beech 12 " " " S 72 E 14 " "

42.50 a Brook 20 lth. wide Course S. W.

52.00 a No 3 " " " E.

55.00 a Beech 24 in. dia.

T. N. R. E. 2nd. Mer. Indiana

Ch. P. M.

80.00 At post Cor. to Sec. 25 of 36 from, which
 a Poplar 36 in. dia. - bear N 12 W 8 lks. dist. of
 a Beech 16 " " " S 11 E 29 " "
 Good land, timber Beech, Poplar, Oak &c

North On E. boundary of Sec. 25

27.20 a Beech 15 in. dia.

40.00 At gr. Sec. post, from which
 a Sugar 12 in. dia. - bear S 53 W 26 lks. dist. of
 a Beech 16 " " " S 63 E 28 " "

65.50 a Brook 4 lks. wide Course W

77.50 a W. Oak 15 in. dia.

80.00 At post Cor. to Sec. 24 of 25, from which
 a Beech 8 in. dia. - bear N 42 W 4 lks. dist. of
 a W. Oak 12 " " " S 30 E 20 " "
 First 1/2 good land Oak, Beech, Poplar &c
 last 1/2 pretty good Oak land.

North On E. boundary of Sec. 24

6.50 a Brook 6 lks. wide Course W.

16.20 a Sugar 16 in. dia.

30.50 a Brook 3 lks. wide Course W.

34.50 a do 5 " " " W.

40.00 At gr. Sec. post, from which
 a Beech 12 in. dia. - bear N 86 W 6 lks. dist. of
 a Sugar 12 " " " S 70 E 15 " "

67.00 a Brook 10 lks. wide Course W

70.00 a Creek 40 " " " NW.

75.60 a W. Oak 40 in. dia.

80.00 At post Cor. to Sec. 13 of 24, from which
 an Elm 14 in. dia. - bear N 22 E 6 lks. dist. of
 a Beech 6 " " " S 2 E 16 " "
 Sand Good timber Sugar, Beech, Elm &c.

North On E. boundary of Sec 13.

40.00 At gr. Sec. post, from which

37

S. N. R. & E. 2^d. Mer. Indiana

61.00 a Sugar 12 in. dia. bran 139 W 20 lbs. dist. of
 a Walnut 12 " " " N 16 E 27 " "
 80.00 a Brook 3 lbs. wide Course S. W.
 80.00 Set post Cor. to Sec. 12 of 13, from which
 a W. Oak 36 in. dia. bran 156 W 12 lbs. dist. of
 a Beech 12 " " " N 53 E 10 " "
 Land rich, timber Oak, Sugar, Ash, Elm &c.

North On E. boundary of Sec. 12

24.30 a Beech 15 in. dia.
 24.50 a Creek 3 lbs. wide Course N. E.
 40.00 Set of Sec. post, from which
 a Beech 16 in. dia. bran N 7 E 15 lbs. dist. of
 a Do 6 " " " S 27 W 19 " "
 53.50 a Poplar 36 " "
 62.00 a Brook 5 lbs. wide Course W.
 67.00 Intersected the Boundary line, Set post
 on E. side Sec. 12, from which
 a Beech 8 in. dia. bran 147 W 3 lbs. dist. of
 a Do. 15 " " " N 42 E 8 " "
 Level land timber Beech, Poplar &c.
 Oct. 2^d. 1876. Alex. A. Palmer, L. S.
 80.00 Set post Cor. to Sec. 1 of 12, from which
 a Beech 9 in. dia. bran 181 W 16 lbs. dist. of
 a Dogwood 6 " " " N 54 E 14 " "
 Broken land timber Beech &c

North On E. boundary of Sec. 1

11.00 a Branch 4 lbs. wide Course N. W.
 12.00 a Creek 200 lbs. " " S. W.
 30.00 left the same Creek coming from N. W.
 40.00 Set of Sec. post, from which
 a Beech 20 in. dia. bran 142 W 15 lbs. dist. of
 a Sugar 6 " " " S 28 E 21 " "
 53.50 a Creek 200 lbs. wide Course S. W.
 80.00 Set post Cor. to Township 7 & 8 North,

T^h N. Rth E. 2^d Mer. Indiana

ch. P. Lm

Ranges 7 & 8 E, from, which
 a Run 14 mi. dir. by N 51 W 21 Lm. Met. &
 at Beech 21 " " " 171 E 44 " "
 Broken land timber Beech, Engw &c.

North Boundary

East On Rand^m. S. boundary of Sec. 31, T^h S. Rth E.

40.00 Set temp^y. q^r. Sec. post

45.00 a creek 50 Lm. wide Course S. W.

80.00 Set temp^y. Cor. to Sec^s. 31 & 32

Broken land, timber Beech, Poplar, undngth
 Spruce &c.

East On Rand^m. S. boundary of Sec. 32, T^h S. Rth E.

40.00 Set temp^y. q^r. Sec. post

45.00 a creek 40 Lm. wide Course S. W.

50.00 intersected an Old Hurricane

80.00 Set temp^y. Cor. to Sec^s. 32 & 33

Creek low ground, timber Beech

East On Rand^m. S. boundary of Sec. 33, T^h S. Rth E.

40.00 Set temp^y. q^r. Sec. post

80.00 Set temp^y. Cor. to Sec^s. 33 & 34

Continuation of the Hurricane, Soil good

East On Rand^m. S. boundary of Sec. 34, T^h S. Rth E.

37.00 a Branch 6 Lm. wide Course S.

40.00 Set temp^y. q^r. Sec. post

36.00 a Branch 5 Lm. wide Course S.

80.00 Set temp^y. Cor. to Sec^s. 34 & 35

on N. bank of Sand Creek, Rolling land
 timber Poplar, Beech &c. undngth. Spruce &c.
 Good Soil

East On Rand^m. S. boundary of Sec. 35, T^h S. Rth E.

0.50 a Creek 150 Lm. wide emptying into another

N. N. R. & E. 2nd Mer. Indiana ³⁹
Ch. R.

Creek about 10 ch. above which there is a
Ripple over rocks, in length 5 ch. Falls about 5
feet, on which I think a good mill might
be built - banks pretty high

15.00 a Creek 100 lks. wide Course N. W.
33.00 Same 100 " " " S. W.
40.00 Let temp^y. q^r. Sec. post
42.00 Same Creek 100 lks. wide Course N. W.
80.00 Let temp^y. Cor. to Sec^s. 35 & 36
Low ground

East On Rand^m. S. boundary of Sec. 36, T⁸ S. R² E.

6.50 a Creek 100 lks. wide Course S. W.
40.00 Let temp^y. q^r. Sec. post
78.73 Intersected the E. boundary 478 lks. N. of post
Cor. to Township 7 & 8 N. Range 7 & 8 East

West On true line S. boundary of Sec. 36, T⁸ S. R² E

40.00 Let q^r. Sec. post, from which
an Elm 14 in. dia. bray N 79° 15 lks. dist. of
a Sugar 7 " " " N 76° 25 " "
71.00 a Creek 100 lks. wide Course S. W.
80.00 Let post Cor. to Sec^s. 35 & 36, from which
a Beech 14 in. dia. bray S 55° E 19 lks. dist. of
a Ho. 8 " " " N 72° 13 " "

West On true line S. boundary of Sec. 35, T⁸ S. R² E

36.50 a Creek 120 lks. wide Course S. W.
40.00 Let q^r. Sec. post, from which
a Buckeye 12 in. dia. bray N 80° E 16 lks. dist. of
a Sugar 20 " " " N 58° 16 " "
43.50 a Creek 120 lks. wide Course S. E. same 60° 130 N. W.
73.00 Same 150 " " " N.
80.00 Let post Cor. to Sec^s. 34 & 35, from which
a Lycamore 48 in. dia. bray S 8° E 90 lks. dist. of
an Elm 24 " " " S 55° E 134 " "

T^yN R7E 2^d Mer. Indiana

ch^r. lth.
 West On true line S. boundary of Sec. 34, T^yN R7E.
 40.00 Set q^r. Sec. post, from which
 a Beech 10 in. dia^r. bears N 38° W 4 lth. dist. &
 a Do. 24 " " " S 4 E 25 " "
 80.00 Set post Cor. to Sec^s. 33 & 34, from which
 a Beech 10 in. dia^r. bears S 85 E 31 lth. dist. &
 a Do. 8 " " " N 59° W 21 " "

West On true line S. boundary of Sec. 33, T^yN R7E
 40.00 Set q^r. Sec. post, from which
 a Beech 10 in. dia^r. bears N 12° W 18 lth. dist. &
 a Do. 9 " " " S 59 E 22. " "
 80.00 Set post Cor. to Sec^s. 32 & 33, from which
 a Sugar 4 in. dia^r. bears N 3° W 7 lth. dist. &
 an Ash 4 " " " S 6° W 7 " "

West On true line S. boundary of Sec. 32.
 40.00 Set q^r. Sec. post, from which
 a Beech 10 in. dia^r. bears N 66 E 14 lth. dist. &
 a Do. 10 " " " S 67° W 8 " "
 80.00 Set post Cor. to Sec^s. 31 & 32, from which
 a Beech 21 in. dia^r. bears S 52 E 9 lth. dist. &
 a Poplar 15 " " " N 42° W 43 " "

West On true line S. boundary of Sec. 31.
 40.00 Set q^r. Sec. post, from which
 a Beech 12 in. dia^r. bears N 82° W 15 lth. dist. &
 a Poplar 4 " " " N 74 E 20 " "
 82.90 Intersected the cor. of Townships 7 & 8. Ranges
 6 & 7 East
 Surveyed By. John McDonald D.S.

West Boundary
 North On E. boundary of Sec. 36, T^yN R6E.
 35.50 a Creek 50 lth. wide Course W.
 40.00 Set q^r. Sec. post, from which

41

Ty N. R 7 E. 2nd Mer. Indiana

ch. lth.

- a Beech 10 in. dia. bears S 15 W 8 lth. dist. of
 a Do. 7 " " " N 45 W 11 " "
 67.80 Intersected Boundary line Set post, from which
 a Beech 8 in. dia. bears South 5 lth. dist. of
 a Sassafras 18 " " " North 6 " "
 Good farming land; Surveyed by Arthur H. Hines D.S.
 80.00 Set post Cor. to Sec. 25 & 26, from which
 a Beech 8 in. dia. bears S 33 E 24 lth. dist. of
 a Do. 18 " " " N 82 W 24 " "

North On E. boundary of Sec. 25, Ty N. R 6 E.

- 22.85 a Beech 15 in. dia.
 40.00 Set q. Sec. post, from which
 a Beech 30 in. dia. bears S 10 E 19 lth. dist. &
 a Do. 6 " " " N 16 W 25 " "
 65.00 a Span. Oak 24 " "
 80.00 Set post Cor. to Sec. 24 & 25, from which
 a Hickory 18 in. dia. bears S 11 E 16 lth. dist. &
 a Gum 40 " " " N 11 W 11 " "
 Over wet Beech Land undergrowth Spice.

North On E. boundary of Sec. 24, Ty N. R 6 E.

- 19.50 a W. Oak 30 in. dia.
 40.00 Set q. Sec. post. from which
 a Sugar 10 in. dia. bears S 34 E 12 lth. dist. &
 an Ash 15 " " " N 12 W 9 " "
 49.40 a Maple 18 " "
 57.29 a Brook 7 lth. wide Course S. W.
 80.00 Set post Cor. to Sec. 13 & 24, from which
 a Hickory 8 in. dia. bears N 86 E 9 lth. dist. &
 a Do. 18 " " " S 76 W 9 " "
 Over wet Land timber Beech Oak Hickory
 Gum &c. undergrowth Spice.

North On E. boundary of Sec. 2 13, Ty N. R 6 E.

- 32.67 a Hickory 18 in. dia.

T^y N. R⁷ E. 2^d. Mer. Indianach. 1st 1/2

- 40.00 Set q. Sec. post, from which
an Elm 18 in. dia. bears S 72 E 12 lbs. dist. &
a Beech 10 " " " S 82 W 16 " "
- 57.95 a Span. Oak. 40 " "
- 80.00 Set post Cor. to Sec. 12 & 13, from which
a Beech 5 in. dia. bears S 17 E 1 lbs. dist. &
a No. 10 " " " N 16 W 12 " "
Over wet level land timber Beech Hickory
Oak &c. undergrowth. Same.

North On E. boundary of Sec. 12, T^y N. R⁶ E.

- 20.50 a Span. Oak 48 in. dia.
- 40.00 Set q. Sec. post, from which
a Beech 6 in. dia. bears N 77 E 14 lbs. dist. &
a No. 6 " " " S 49 W 20 " "
- 50.10 a Beech 20 " "
- 63.50 a creek 2.00 lbs. wide Course S. W.
- 80.00 Set post Cor. to Sec. 1 & 12, from which
a Beech 7 in. dia. bears N 61 E 19 lbs. dist. &
a No. 13 " " " N 32 W 31. " "
Over wet level land timber Beech &c.

North On E. boundary of Sec. 1, T^y N. R⁶ E.

- 40.00 Set q. Sec. post, from which
an Ash 15 in. dia. bears S 24 E 8 lbs. dist. &
a Hickory 8 " " " S 10 W 7 " "
- 77.74 Set post Cor. to Townships 7 & 8 N. Ranges 6
& 7 E. from which
a Beech 8 in. dia. bears S 24 W 4 lbs. dist. &
a No. 14 " " " S 10 W 32 " "
Rolling Beech Land Soil good.
Surveyed By John M. McDonald, R.S.

Subdivision.

North Between Sec. 35 & 36, T^y N. R⁷ E.
6.50 a Creek 25 lbs. wide Course S. W.

T. N. R. & E. J. Mer. Indiana ⁴³

ch. lks

25.25 a Mash 15 in. dia.

40.00 Set q. Sec. post, from which
a Beech 12 in. dia. bears S 4 E 40 lks. dist. &
a No. 8 " " " N 5 E 11 " "

80.00 Set post Cor. to Secs. 25, 26, 35 & 36. from which
a Sugar 12 in. dia. bears S 70 E 70 lks. dist. &
an Elm 20 " " " N 59 W 21 " "

This mile over level land timber Beech & Hickory.

East On Prandon between Secs. 25 & 36.

40.00 Set temp. q. Sec. post

80.79 Intersected the E. boundary 43 lks. S. of post.
Land the same

West Corrected between Secs. 25 & 36.

40.39 1/2 Set q. Sec. post, at average dist. from which
a Beech — in. dia. bears S 61 E 26 lks. dist. &
a No. 10 " " " N 44 W 11 " "

80.79 to Section Corner

North Between Secs. 25 & 26.

34.00 a Poplar 29 in. dia.

40.00 Set q. Sec. post, from which
a Beech 40 in. dia. bears S 6 E 35 lks. dist. &
a No. 10 " " " S 67 E 10 " "

80.00 Set post Cor. to Secs. 23, 24, 25 & 26, from which
a Br. Oak 30 in. dia. bears S 33 W 44 lks. dist. &
a Beech 15 " " " N 43 W 6 " "

Land the same kind —

East On Prandon between Secs. 24 & 25

29.00 a Brook 10 lks. wide course S.

40.00 Set temp. q. Sec. post.

46.00 a Brook 50 lks. wide course S. W.

75.50 a Br. Oak 10 in. dia.

81.00 Intersected the E. boundary 1.00 lks. S. of post.

44 S. N. R. E. 2nd Mer. Ind.
ch. 1st 1/2.

Land timber &c. Same as on the East. side

West Corrected between Sec. 24 & 25

40.50 Set q. Sec. post. at average dist. from which
a Beech 10 in. dia. bears S 73 E 27 lbs. dist. &
a Buckeye 10 " " " N 73 W 33 " "
81.00 to Section Corner

North Between Sec. 23 & 24.

9.90 a Beech 15 in. dia.

40.00 Set q. Sec. post, from which
a Beech 10 in. dia. bears S 79 W 5 lbs. dist. &
a Gum 6 " " " S 76 E 15 " "

70.00 a Brook 10 lbs. wide Course W.

80.00 Set post. Cor to Sec. 13, 14, 23 & 24, from which
a Beech 15 in. dia. bears S 11 W 18 lbs. dist. &
a No. 14 " " " N 60 E 13 " "
Land level timber Beech Oak Hickory &c.

East On Random between Sec. 13 & 24

15.00 a Brook 10 lbs. wide Course S.

40.00 Set temp. q. Sec. post

81.10 Intersected the E. boundary 1.00 lbs. S. of post.
Land the Same -

West Corrected between Sec. 13 & 24

40.55 Set q. Sec. post, at average dist. from which
a Hickory 10 in. dia. bears S 56 E 14 lbs. dist. &
and no other tree

81.10 to Section Corner

North Between Sec. 13 & 14

26.50 a Brook 25 lbs. wide Course W.

40.00 Set q. Sec. post, from which
a Beech 10 in. dia. bears S 14 E 31 lbs. dist. &
a No. 10 " " " N 81 E 15 " "

45

T^y N^o R^y E. 2^d Mer. Indiana

ch^d M^y

58.80 a Poplar 36 in. dia.

80.00 Set post Cor. to Sec^s. 11, 12, 13 & 14, from which
a Beech 12 in. dia. bears S 0¹/₂ E 36 lbs. dist. &
a Do. 24 " " " N 43 E 21 " "
Land the same

East On Prandon between Sec^s. 12 & 13.

36.00 a Brook 10 lbs. wide Course South

46.00 Set temp^y. q^y. Sec. post.

81.50 Intersected the E. boundary 2.00 lbs. S. of post.
Land the same

West Corrected between Sec^s. 12 & 13

40.70 Set q^y. Sec. post. at average dist. from which
a Beech 10 in. dia. bears S 61 E 5 lbs. dist. &
a Do. 8 " " " S 31 W 2 " "

81.50 to Section Corner

North Between Sec^s. 11 & 12.

16.50 Set post on the Indian boundary, from which
a Beech 20 in. dia. bears N 16 E 27 lbs. dist. &
a W. Oak 10 " " " S 3 W 37 " "
Land the same as last.

West Between Sec^s. 11 & 14.

25.30 Set post on the Indian boundary, from which
a Dogwood 6 in. dia. bears S 60 E 4 lbs. dist. &
a W. Ash 15 " " " S 56 W 19 " "
Land level—

North Between Sec^s. 34 & 35.

40.00 Set q^y. Sec. post. from which
a Beech 10 in. dia. bears N 76 E 17 lbs. dist. &
a Do. 12 " " " S 8 W 14 " "

52.00 a Brook 10 lbs. wide course W.

80.00 Set post Cor. to Sec^s. 26, 27, 34 & 35, from which

S. N. R. & E. 2nd Mer. Indiana

Ch. lks

a Beech 24 in. dia. bears S 16 E 13 lks. dist. &
 a Poplar 6 " " " N 27 W 28 " "
 This mile Over level land timber Beech

East On Random between Sect. 26 & 35

40.00 Set temp. q. Sec. post.

80.65 Intersected the N. & S. line 39 lks. N. of post.

This mile Over rolling land timber Beech & Hickory.

West Corrected between Sect. 26 & 35

40.32 $\frac{1}{2}$ Set q. Sec. post, at average dist. from which
 a Hickory 20 in. dia. bears S 82 E 16 lks. dist. &

a Beech 24 " " " N 63 W 15 " "

80.65 to Section Corner. Oct. 27th 1806.

North Between Sect. 26 & 27.

40.00 Set q. Sec. post, from which

a Beech 15 in. dia. bears S 31 W 14 lks. dist. &

a Do. 15 " " " N 62 E 14 " "

52.00 a Brook 10 lks. wide Course W.

63.00 a Poplar 30 in. dia.

80.00 Set post Cor. to Sect. 22, 23, 26 & 27, from which

a Beech 10 in. dia. bears S 9 E 43 lks. dist. &

a Do. 12 " " " N 29 W 29 " "

Land the same as on the last mile

East On Random between Sect. 23 & 26.

15.00 a Brook 10 lks. wide Course S.

40.00 Set temp. q. Sec. post,

80.50 Intersected the N. & S. line 50 lks. N. of post.

Land level timber Beech

West Corrected between Sect. 23 & 26.

40.25 Set q. Sec. post, at average dist. from which

a Beech 20 in. dia. bears S 86 E 28 lks. dist. &

a Dogwood 5 " " " S 23 W 29 " "

147

St. R. E. 2nd Mer. Indiana

ch. lks
80.50 to Section Corner

North Between Sec. 22 & 23

14.20 a W. Oak 18 in. dia.

40.00 Set q. Sec. post. from which
a Hickory 18 in. dia. bears N 58 E 6 lks. dist. &
a No. 6 " " " N 37 W 53 " "

73.50 a B. Oak 20 " "

80.00 Set post Cor. to Sec. 14, 15, 22 & 23, from which
* a Sugar 4 in. dia. bears S 10 W 40 lks. dist. &
an Elm 15 " " " S 63 E 28 " "

Land the same as on the last mile

* this post stands on a Brook 25 lks. wide Course W.

East On Random between Sec. 14 & 23.

40.00 Set temp. q. Sec. post.

53.50 a Brook 10 lks. wide Course South

80.48 Intersected the N. & S. line 60 lks. N. of post.
Land the same as last mile

West Corrected between Sec. 14 & 23

40.24 Set q. Sec. post, at average dist. from which
a Beech 10 in. dia. bears N 10 E 8 lks. dist. &
a No. 8 " " " S 63 E 15 " "

80.48 to Section Corner

North Between Sec. 14 & 15

12.00 a Beech 15 in. dia.

40.00 Set q. Sec. post. from which
a Gum 15 in. dia. bears S 4 W 36 lks. dist. &
a Beech 10 " " " N 11 W 23 " "

42.16 Set post on Indian boundary, from which
a Beech 10 in. dia. bears N 85 E 14 lks. dist. &
a No. 6 " " " S 69 W 14 " "

Land the same as on last mile

S. N. R. & E. 2^d Mer. Indiana

ch. lks.

- West Between Sect. 15 & 22.
 40.00 Set q. Sec. post, from which
 a Beech 20 in. dia. bears N 9 E 21 lks. dist. &
 a Sugar 6 " " " S 40 E 3 " "
 64.95 Set post on Indian boundary, from which
 a Beech 20 in. dia. bears N 71 E 5 lks. dist. &
 a No. 15 " " " S 30 W 5 " "
 Land level timber - Beech, Oak, Hickory
-
- North Between Sect. 33 & 34.
 27.50 a Brook 40 lks. wide Course S. W.
 40.00 Set q. Sec. post, from which
 a Beech 15 in. dia. bears S 13 E 41 lks. dist. &
 a cherry tree 10 " " " N 25 E 12 " "
 80.00 Set post Cor. to Sect. 27, 28, 33 & 34, from which
 a Beech 8 in. dia. bears N 18 E 8 lks. dist. &
 a No. 8 " " " S 50 W 15 " "
 Land the same
-
- East On Random between Sect. 27 & 34
 31.50 a Brook 40 lks. wide Course S. W.
 40.00 Set temp. q. Sec. post.
 80.36 Intersected the N. & S. line 4 lks. N. of post.
 Land level timber Beech, Oak, Poplar &c.
-
- West Corrected between Sect. 27 & 34
 40.18 Set q. Sec. post, at average dist. from which
 a Beech 8 in. dia. bears S 80 E 15 lks. dist. &
 a No. 10 " " " S 22 E 13 " "
 80.36 to Section Corner
-
- North Between Sect. 27 & 28
 16.00 a Brook 10 lks. wide Course S. W.
 26.00 a Beech 20 in. dia.
 40.00 Set q. Sec. post, from which
 a Beech 20 in. dia. bears S 30 E 3 lks. dist. &

49

S. N. P. & E. D. Mer. Indiana

ch. l. m.

a Beech 6 in. dia. bears S 10 W 5 1/4 lks. dist. &
 79.50 a Brook 10 lks. wide Course S. W.
 80.00 Set post Cor. to Secs. 21, 22, 27 & 28, from which
 a Beech 10 in. dia. bears N 72 E 11 lks. dist. &
 an Elm 10 " " " S 17 E 14 " "
 Land the same as on the last mile.

East On Prandom between Secs. 22 & 27.
 40.00 Set temp. q. Sec. post.
 80.25 Intersected the N. & S. line 22 lks S. of post.
 Land the same. Oct. 28th 1806.

West Corrected between Secs. 22 & 27.
 40.12 1/2 Set q. Sec. post, at average dist. from which
 a Beech 15 in. dia. bears N 31 W 8 lks. dist. &
 a No. 12 " " " S 15 W — " "
 80.25 to Section Corner

North Between Secs. 21 & 22.
 30.50 a Poplar 35 in. dia.
 40.00 Set q. Sec. post, from which
 a Beech 15 in. dia. bears N 57 E 9 lks. dist. &
 a No. 10 " " " S 5 W 30 " "
 69.00 Set post on Indian boundary, from which
 a Beech 10 in. dia. bears S 40 W 11 lks. dist. &
 a No. 5 " " " S 47 E 10 " "
 Land the same

North Between Secs. 32 & 33.
 40.00 Set q. Sec. post, from which
 a Beech 15 in. dia. bears S 6 E 27 lks. dist. &
 a No. 8 " " " N 55 W 10 " "
 44.00 a Brook 30 lks. wide Course S. W.
 60.00 a No. 30 " " " S. W.
 63.95 a Beech 15 in. dia.
 80.00 Set post Corner to Secs. 28, 29, 32 & 33, from which

S. N. R. E. 2nd Mer. Indiana
ch. 1st Mer.

a Sugar 10 in. dia. bears N 59 E 9 lbs. dist. 4
 a Beech 5 " " " S 43 W 14 " "
 (Description of land &c Omitted)

East On Random between Secs. 28 & 33.

6.20 a Beech 25 lbs. wide Course S. W.

40.00 Set temp. q. Sec. post.

80.97 Intersected the N. & S. line 14 lbs. N. of post.
 Land level timber Beech -

West Corrected between Secs. 28 & 33.

40.48 1/2 Set q. Sec. post, at average dist. from which
 a Beech 10 in. dia. bears N 79 W 17 lbs. dist. 4
 a Do. 6 " " " N 34 E 9 " "

80.97 to Section Corner

North Between Secs. 28 & 29.

40.00 Set q. Sec. post, from which
 a Beech 8 in. dia. bears S 16 E 31 lbs. dist. 4
 a Do. 20 " " " S 47 E 17 " "

80.00 Set post cor. to Secs. 20, 21, 28 & 29, from which
 a Beech 10 in. dia. bears S 40 W 21 lbs. dist. 4
 a Do. 8 " " " N 52 E 16 " "

This route Over level land timber, Beech, Ash, Sugar &c.

East On Random between Secs. 31 & 28.

40.00 Set temp. q. Sec. post.

80.90 Intersected the N. & S. line 3 lbs. S. of post.
 Land level timber Beech Oak & Hickory -

West Corrected between Secs. 31 & 28

40.45 Set q. Sec. post, at average dist. from which
 a Sugar 10 in. dia. bears S 40 E 19 lbs. dist. 4
 a Beech 8 " " " N 47 E 10 " "

80.90 to Section Corner

Township 29 E. 2nd Mer. Indiana

51

Ch. 1st 1/2

North Between Sec^s. 20 & 21.

15.56 Set post on Indian boundary, from which
a W. Oak 29 in. dia. bears S 59° W 30 lks. dist. &
a Sugar 12 " " " N 44° E 17 " "
Good farming Land.

West Between Sec^s. 20 & 29.

6.05 a Beech 20 in. dia.

19.00 A. Brook 50 lks. wide course South

24.17 Set post on the Indian boundary, from which
a Beech 8 in. dia. bears N 29° W 14 lks. dist. &
a Sugar 12 " " " N 87° E 4 " "
Land the same as on the last mile

North Between Sec^s. 31 & 32.

40.00 Set q^r. Sec. post. from which
a Beech 10 in. dia. bears S 23° E 2 lks. dist. &
a W. 20 " " " N 84° W 17 " "

48.00 a Brook 15 lks. wide Course E.

80.00 Set post Cor. to Sec^s. 29, 30, 31 & 32. from which
a Beech 6 in. dia. bears S 56° E 5 lks. dist. &
a W. 40 " " " S 58° W 33 " "
Land the same as on the last mile

East On Random between Sec^s. 29 & 32.

40.00 Set temp^y. q^r. Sec. post.

80.30 Intersected the N. & S. line 1.00 lks. S. of post.
Land level timber Beech, Oak, & Hickory-

West Corrected between Sec^s. 29 & 32.

40.15 Set q^r. Sec. post. at average dist. from which
a Beech 10 in. dia. bears N 87° E 11 lks. dist. &
a W. 10 " " " N 36° E 14 " "

80.30 to Section Corner

West Between Sec^s. 30 & 31.

T. N. R. & E. 2nd Mer. Indianach. 2nd Mer.

- 35.00 a Brook 50 lbs wide course S.
 38.50 a No. 30 " " " S.
 40.00 Set of Sec. post, from which
 a Red bud 6 in. dia. bears S 56° W 18 lbs. dist. 4
 an Elm 20 " " " N 61° W 16 " "
 60.06 Set post on the Indian boundary, from which
 a W. Ash 12 in. dia. bears N 56° W 3 lbs. dist. 4
 an Elm 18 " " " N 87° E 18 " "
 Land the Same.

North Between Secs. 29 & 30.

- 40.00 Set of Sec. post, from which
 a W. Ash 15 in. dia. bears S 25° W 12 lbs. dist. 4
 an Elm 15 " " " N 16° W 27 " "
 40.95 Set post on Indian boundary, from which
 a Beech 20 in. dia. bears N 60° E 15 lbs. dist. 4
 a No. 20 " " " S 81° W 16 " "
 (Description of Land &c. Omitted) Land the Same
 October 29th 1886
 Surveyed by Arthur Annie D.S.

- November 13th 1819. variation 6.00' E.
 North Between Secs. 11 & 12, T. N. R. & E.
 23.50 Set of Sec. post, from which
 a Beech 16 in. dia. bears N 77° W 31 lbs. dist. 4
 a No. 12 " " " N 61° E 32 " "
 46.40 a Beech 15 " " "
 63.50 Set post Cor. to Secs. 1, 2, 11 & 12, from which
 a Beech 30 in. dia. bears N 16° E 21 lbs. dist. 4
 a Sugar 12 " " " S 26° W 15 " "
 Label 3rd rate land Beech Oak. Hickory undergrowth
 Dogwood Spice &c.

East On Prandon between Secs. 1 & 12.

- 40.00 Set temp. of Sec. post.
 82.90 Intersected the E. boundary 2.40 lbs. S. of post

S 7 N R 7 E. 2.nd Mer. Indiana 53

ch. P. lks

Broken 3rd rate land Beech, Oak, Hickory &c. undergrowth Dogwood, Small, Beech.

West Corrected between Sec. 1 & 12.

41.45 Set q^r. Sec. post, at average dist. from which
a Beech 12 in. dia. bears N 33 E 13 lks. dist. &
a No. 12 " " " S 24 W 17 " "

82.90 to Section Corner

North Between Sec. 1 & 2.

25.20 a Beech 12 in. dia.

40.00 Set q^r. Sec. post, from which
a Beech 12 in. dia. bears S 87 W 14 lks. dist. &
a No. 4 " " " N 78 E 18 " "

52.00 Cropped Land Creek Course S. W.

62.20 a Poplar 40 in. dia.

67.00 Cropped Wyaloszing 30 lks. wide Course S 45 W.

84.67 Intersected the N. boundary 310 lks. W. of post.

Set post Cor. to Sec. 1 & 2. (Bearings Omitted)

Broken 2nd rate land Beech Sugar Poplar &c. undergrowth Spice &c.

North Between Sec. 14 & 15

24.40 a Beech 15 in. dia.

37.84 Set post. Cor. to Sec. 10, 11, 14 & 15, from which
a Hickory 16 in. dia. bears S 15 W 12 lks. dist. &
a Beech 6 " " " N 79 E 28 " "

Broken 3rd rate land Beech Oak Hickory &c. undergrowth
Small Beech. November 15th 1819.

East On Prandom between Sec. 11 & 14.

40.00 Set temp. q^r. Sec. post.

55.30 Intersected the Old boundary 90 lks. S. of post.

Broken 3rd rate land Beech Oak Hickory &c. undergrowth Dogwood &c.

S. N. P. 7 E. 2nd Mer. IndianaCh. P. 11th

West Corrected between Sec. 11 & 14.

15. 07 Set of Sec. post. at average dist. from which
 a Beech 10 in. dia. bears N 20 W 31 lbs. dist. 4
 a W. Oak 15 " " " S 20 W 18 " "

55. 50 to Section Corner

North Between Sec. 10 & 11

25. 10 a W. Oak 2 1/2 in. dia.

40. 00 Set of Sec. post, from which
 a W. Oak 4 1/2 in. dia. bears S 55 E 17 lbs. dist. 4
 a Hickory 2 1/2 " " " N 16 W 27 " "

62. 40 a Beech 12 " "

80. 00 Set post Cor. to Sec. 2, 3, 10 & 11, from which
 a Beech 16 in. dia. bears S 16 W 16 lbs. dist. 4
 a No. 12 " " " N 49 W 31 " "
 Hilly 3rd rate land Beech, Oak, Hickory, undergrowth
 Dogwood, Oak, Gum, Briers &c.

East On Pradom between Sec. 2 & 11

40. 00 Set temp. of Sec. post.

80. 70 Intersected the N. & S. line 1.10 lbs. N. of post.
 Broken 3rd rate land Beech Oak Hickory &c. underg-
 rowth Dogwood Green Briers &c.

West Corrected between Sec. 2 & 11.

40. 35 Set of Sec. post. at average dist. from which
 a Dogwood 3 in. dia. bears N 76 W 3 lbs. dist. 4
 a Beech 4 " " " S 43 E 5 " "

80. 70 to Section Corner

North Between Sec. 2 & 3.

18. 20 a W. Oak 18 in. dia.

40. 00 Set of Sec. post, from which
 a Beech 10 in. dia. bears N 72 E 3 1/4 lbs. dist. 4
 a W. Ash 15 " " " S 29 W 11 " "

64. 80 a Beech 20 " "

55

S. N. R. E. 2^d Mer. Indiana

Ch. P. lhy

83.50 Intersected the N. Boundary in Sand Creek 3.50 lhy.
 W. of post. no bearings trees.
 Hilly land 1st 1/2 mile 3^d rate. last 1/2 mile 2^d rate timber.
 Beech, Oak, Hickory, Ash, Sugar, Poplar, &c. undergrowth
 Dogwood Spice &c.

North Between Secs. 21 & 22.
 11.00 Set post Cor. to Secs. 15, 16, 21 & 22, from which
 a Beech 10 in. dia. bears S 34 W 12 lhy. dist. 4
 a Do. 12 " " " N 56 E 21. " "
 Hilly 3^d rate land Oak, Beech Hickory undergrowth
 Dogwood Ironwood Small Beech &c.

East On Prandom between Secs. 15 & 22.
 15.55 Intersected the Cor. on Old boundary -
 3^d rate land Beech Oak Hickory &c. undgt. Dogwood Beech.
 - November 14th. 1819.

North Between Secs. 16 & 15.
 17.25 a W. Elm 36 in. dia.
 40.00 Set q. Sec. post, from which
 a Hornbeam 4 in. dia. bears N 42 E 7 lhy. dist. 4
 a Do. 6 " " " S 26 W 30 " "
 66.35 a W. Oak 18 " "
 80.00 Set post Cor. to Secs. 9, 10, 15 & 16, from which
 a Beech 4 in. dia. bears S 3 W 26 lhy. dist. 4
 a Do. 15 " " " North 20 " "
 Broken 3^d rate land Beech Oak, Hickory undergrowth
 Dogwood, Hornbeam &c.

East On Prandom between Secs. 16 & 15.
 40.00 Set temp. q. Sec. post.
 80.40 Intersected the N. & S. line 60 lhy. N. of post.
 Broken 3^d rate land Beech Oak Hickory &c. underg-
 rowth Dogwood Ironwood &c.

S. N. R. E. 2^d. Mer. Indiana

ch. l. l. l.

West Corrected between Sec. 10 & 15
 40.20 Set q. Sec. post. at average dist. from which
 a Beech 14 in. dia. bears S 11 E 23, lhp. dist. 4
 a No. 20 " " " S 80 W 19 " "
 80.40 to Section Corner

North Between Sec. 9 & 10

25.73 a W. Oak 16 in. dia.

40.00 Set q. Sec. post. from which
 a Beech 8 in. dia. bears South 4 lhp. dist. 4
 a No. 10 " " " N 70 W 19 " "

67.25 a W. Ash 16 " "

80.00 Set post Corner. to Sec. 3, 4, 9, & 10, from which
 a Beech 12 in. dia. bears S 26 E 15 lhp. dist. 4
 a No. 30 " " " N 54 W 32 " "

Over hilly ground 1st 1/2 mile 3rd rate last 1/2 mile
 2nd rate Beech Oak Ash Sugar P. op. lar &c. undergrowth.
 Dogwood Spice &c.

East On Prandom between Sec. 3 & 10

40.00 Set temp. q. Sec. post.

81.00 Intersected the N. & S. line 1.00 lhp. N. of post.
 Hilly 3rd rate land Beech Oak Hickory &c. undergrowth.
 Dogwood Beech &c.

West Corrected between Sec. 3 & 10

40.50 Set q. Sec. post. at average dist. from which
 a Beech 6 in. dia. bears N 50 E 6 lhp. dist. 4
 a W. Oak 48 " " " S 50 W 13 " "

81.00 to Section Corner

North Between Sec. 3 & 4

4.50 crossed Sand Creek 70 lhp. wide Course S. 85 W.

21.50 a Sycamore 40 in. dia.

32.00 to Sand Creek Course S. 6 E.

40.00 Set q. Sec. post. in Sand Creek. no bearings tree.

S. N. R. E. 2nd Mer. Indiana 57

Ch. P. 1/4

47.50 left Sand creek.

59.17 a Gum 20 in. dia.

79.23 Intersected the N. boundary 5.00 lks. N. of post.

Set post Cor to Sec. 3 & 4. from which

a Beech 30 in. dia. bears S 47 E 6 lks. dist. &

a No. 12 " " " N 31 W 35 " "

part Bottom and part Hilly land Beech, Sugar, Poplar, Sycamore, Oak &c.

North Between Sec. 20 & 21.

15.50 a Maple 15 in. dia.

24.44 Set q. Sec. post, from which

a Beech 20 in. dia. bears East 21 lks. dist. &

a Gum 24 " " " N 48 W 19 " "

47.06 a W. Ash 12 " "

64.44 Set post Cor. to Sec. 16, 17, 20 & 21, from which

a Beech 8 in. dia. bears S 33 E 6 lks. dist. &

a No. 5 " " " N 28 E 11 " "

Broken 3rd rate land Beech, Oak, Hickory &c. undergrowth Dogwood, Small Beech &c.

East On Random between Sec. 16 & 21.

40.00 Set temp. q. Sec. post.

80.82 Intersected the N. & S. line 22 lks. N. of post.

Hilly 3rd rate land Beech Oak Hickory Poplar undergrowth Dogwood Small Beech &c.

West Corrected between Sec. 16 & 21.

40.44 Set q. Sec. post. at average dist. from which

a Beech 12 in. dia. bears N 78 E 15 lks. dist. &

a Poplar 48 " " " N 22 W 19 " "

80.82 to Section Corner. November 15th 1819.

North Between Sec. 16 & 17.

25.78 a R. Oak 24 in. dia.

40.00 Set q. Sec. post, from which

S. N. N. E. 2nd Mer. Indiana

Ch. L. M.

- a Hickory 10 in. dia. bears S 19 E 16 lks. dist. 4
 a Beech 12 " " " N 66 W 8 " "
 60.80 a Beech 12 " " " "
 80.00 Set post Cor. to Secs. 8, 9, 16 & 17, from which
 a Hickory 10 in. dia. bears S 46 W 21 lks. dist. 4
 a Beech 12 " " " N 28 E 17 " "
 Broken 3rd rate land Beech, Hickory, Oak, Poplar,
 undergrowth Beech Dogwood &c.

East On Random between Secs. 9 & 16

40.00 Set temp. q. Sec. post.

80.10 Intersected the N. & S. line 50 lks. N. of post.

first $\frac{1}{2}$ Over flat wet land, last $\frac{1}{2}$ Over Rolling land
 3rd rate Hickory Beech, Oak, Maple &c. undergrowth
 Small Beech -

West Corrected between Secs. 9 & 16.

40.05 Set q. Sec. post, at average dist. from which
 a Beech 8 in. dia. bears S 11 W 19 lks. dist. 4
 a W. Oak 10 " " " N 21 W 11 " "

80.10 to Section Corner

North Between Secs. 8 & 9.

22.80 a Beech 12 in. dia. 1

40.00 Set q. Sec. post, from which

a Beech 8 in. dia. bears S 60 W 11 lks. dist. 4

a W. 4 " " " N 60 E 14 " "

64.10 a Beech 30 " "

80.00 Set post Cor. to Secs. 4, 5, 8 & 9, from which

a Beech 15 in. dia. bears N 70 W 19 lks. dist. 4

a W. 12 " " " N 57 E 17 " "

Broken 3rd rate land Beech Oak Hickory undergrowth
 Small Beech &c.

East On Random between Secs. 4 & 9.

40.00 Set temp. q. Sec. post.

T. N. W. E. 2^d. Mer. Indianach² lth

80.60 Intersected the N. & S. line 1.00 lth. N. of post.
Broken 3^d. rate land Beech, Ash, Poplar, Oak,
Sugar undergrowth Spice Dogwood &c.

West Corrected between Sec. 4 & 9.

41.30 Set q. Sec. post, at average dist. from which
a P. Oak 36 in. dia. bears S 83° W 8 lth. dist. &
a Beech 6 " " " S 85° E 31 " "

80.60 to Section Corner.

North Between Sec. 4 & 5.

13.00 Crossed Sand Creek Course N. 70° W.

27.50 a Sugar 12 in. dia.

40.00 Set q. Sec. post, from which
a Beech 3 in. dia. bears N 27° W 8 lth. dist. &
a Sugar 7 " " " N 88° E 4 " "

62.00 Enter fallen timber.

79.00 Intersected the N. boundary 1.50 lth. N. of post.
in a thicket in fallen timber no bearing trees
Broken 3^d. rate land Beech Oak, Hickory Sugar &c.
undergrowth Dogwood Spice -

West Between Sec. 30 & 31.

19.44 Intersected the W. boundary 90 lth. S. of post.

Set post Cor. to Sec. 30 & 31. from which
a Beech 12 in. dia. bears N 80° W 11 lth. dist. &
a Do. 9 " " " S 15° E 13 " "

Broken 3^d. rate land Beech, Oak, Hickory &c. underg-
rowth Dogwood Ironwood &c.

North Between Sec. 29 & 30.

25.40 a Beech 20 in. dia.

39.05 Set post. cor. to Sec. 19, 20, 29 & 30, from which
a Beech 16 in. dia. bears S 84° W 36 lth. dist. &
a Do. 12 " " " S 18° E 25 " "

Broken 3^d. rate land - November 16th 1819.

S. N. R. & E. 2nd Mer. Indiana

Ch. Lk.

East On Random between Sec. 20 & 29.

40.00 Set temp. q. Sec. post.

80.25 Intersected the N. & S. line 1.00 lks. N. of post.

Broken 3rd rate land Beech Oak Hickory &c. undergrt.
Dogwood Ironwood.

West Corrected between Sec. 20 & 29.

40.12 Set q. Sec. post at, average dist. from which
a Beech 8 in. dia. bears N 20 W 18 lks. dist. &
a W. Oak 18 " " " S 60 E 14 " "

80.25 to Section Corner

West Between Sec. 19 & 30.

25.45 a Hickory 12 in. dia.

40.00 Set q. Sec. post, from which
a Beech 24 in. dia. bears N 29 E 14 lks. dist. &
a Hickory 10 " " " S 28 W 34 " "

54.85 a W. 11 " "

79.75 Intersected the W. boundary 1.10 lks. S. of post.

Set post cor. to Sec. 19 & 30, from which
a Hickory 12 in. dia. bears S 70 E 14 lks. dist. &
a Beech 12 " " " N 4 W 15 " "Over Broken 3rd rate land Beech, Hickory, Oak, &c.
undergrowth Dogwood Small Beech &c.

North Between Sec. 19 & 20.

31.90 a Beech 20 in. dia.

40.00 Set q. Sec. post, from which
a Beech 8 in. dia. bears S 10 W 31 lks. dist. &
a W. 16 " " " N 33 E 6 " "

57.90 a Beech 12 " "

80.00 Set post cor. to Sec. 17, 18, 19 & 20, from which
a Beech 8 in. dia. bears S 10 W 31 lks. dist. &
a Poplar 48 " " " N 57 E 30 " "Rolling 3rd rate land Beech Oak Hickory &c. under-
growth Dogwood, Ironwood &c.

61

S 7th R 7 E 2nd Mer. Indiana

Ch th	
East	On Prandon between Sec ^s . 17 & 20.
40.00	Set temp ^y . q ^r . Sec. post.
79.90	Intersected the N. & S. line 1.79 lks. N. of post. Broken 3 rd rate land Beech Oak Hickory Gum &c. undergrowth Dogwood Small Beech &c.
West	Corrected between Sec ^s . 17 & 20.
39.95	Set q ^r . Sec. post. at average dist. from which a Beech 8 in. dia ^r . bears N 37 E 5 lks. dist. & a No. 6 " " " S 58 W 14 " "
79.90	to Section Corner.
West	Between Sec ^s . 18 & 19.
27.25	a Beech 18 in. dia ^r .
40.00	Set q ^r . Sec. post. from which a Beech 8 in. dia ^r . bears S 7 W 16 lks. dist. & a No. 10 " " " N 79 E 18 " "
60.50	a No. 30 " "
79.73	Intersected the W. boundary 2.48 lks. S. of post. Set post Cor. To Sec ^s . 18 & 19. from which a Beech 10 in. dia ^r . bears S 56 E 8 lks. dist. & a Hickory 15 " " " N 63 W 6 " " flat wet land Beech Hickory Maple Gum undergrowth Small Beech.
North	Between Sec ^s . 17 & 18.
17.50	a Beech 12 in. dia ^r .
40.00	Set q ^r . Sec. post. from which a Beech 12 in. dia ^r . bears N 78 W 34 lks. dist. & a No. 10 " " " N 63 E 19 " "
65.90	a W. Oak 18 " "
80.00	Set post. Cor. to Sec ^s . 7, 8, 17 & 18. from which a Sugar 12 in. dia ^r . bears N 67 E 15 lks. dist. & a Beech 6 " " " N 80 W 16 " " flat land 3 rd rate Beech Oak Hickory Maple &c. November 19 th 1819.

S. N. R. & E. 2nd Mer. Indiana

ch. l. l.

East

On Random between Sec. 8 & 17.

40.00 Set temp. g. Sec. post.

80.68 Intersected the N. & S. line 2.82 lks. N. of post.
flat wet land 3rd rate. Hickory Maple Oak &c.
undergrowth Small Beech.

West Corrected between Sec. 8 & 17.

40.34 Set g. Sec. post, at average dist. from which
a W. Oak 24 in. dia. bears S 82° W 18 lks. dist. &
a B. Oak 24 " " " N 73° E 27 " "

80.68 to Section Corner

West Between Sec. 7 & 18.

17.00 a B. Oak 30 in. dia.

40.00 Set g. Sec. post, from which
a Beech 12 in. dia. bears N 21° E 25 lks. dist. &
a No. 10 " " " S 15° W 6 " "

59.00 a No. 12 " "

78.43 Intersected the W. boundary 1.77 lks. S. of post.
Set post Cor. to Sec. 7 & 18, from which
a Beech 12 in. dia. bears N 7° E 6 lks. dist. &
a No. 8 " " " S 4° E 17 " "
Rolling 3rd rate land Beech Oak Hickory &c.
undergrowth Dogwood Beech &c.

North Between Sec. 7 & 8.

18.84 a Hickory 12 in. dia.

40.00 Set g. Sec. post, from which
a Beech 12 in. dia. bears S 15° W 8 lks. dist. &
a No. 8 " " " N 33° W 16 " "

61.95 a Beech 30 " "

80.00 Set post Cor. to Sec. 5, 6, 7, & 8, from which
a Sugar 3 in. dia. bears S 24° W 10 lks. dist. &
a Beech 4 " " " N 23° W 31 " "Rolling 2nd rate land Beech, Oak, Sugar, Poplar undg. Spice

63

S. N. R. E. 2^d Mer. Indiana

Ch. M.

East On Random between Sec. 5 & 8.

40.00 Set temp. q. Sec. post.

80.50 Intersected the N. & S. line 2.12 lbs. N. of post.
Hilly 2^d rate land Beech Oak Poplar Hickory
Sugar &c. undergrowth Spice &c.

West Corrected between Sec. 5 & 8

40.25 Set q. Sec. post. at average dist. from which
a Beech 16 in. dia. bears S 40 W 9 lbs. dist. &
a No. 3 " " " N 36 E 38 " "

80.50 to Section Corner

West Between Sec. 6 & 7.

17.34 Cropped Sand Creek 1.00 lbs. wide course S 80 W.

22.50 a Sycamore 36 in. dia.

40.00 Set q. Sec. post. from which
a Beech 18 in. dia. bears N 20 W 11 lbs. dist. &
a Gum 12 " " " S 50 E 9 " "

64.00 Entered fallen timber.
(Remainder Omitted)

North Between Sec. 5 & 6.

7.50 Cropped Sand Creek 1.00 lbs. wide course S 85 W.

17.50 Entered fallen timber

40.00 Set q. Sec. post in thicket in fallen timber.
no bearing trees

61.50 left fallen timber

66.31 a Beech 12 in. dia.

78.33 Intersected the N. boundary 4.90 lbs. W. of post.

Set post cor. to Sec. 5 & 6, from which

a Beech 10 in. dia. bears S 71 W 17 lbs. dist. &

a No. 14 " " " S 86 E 9 " "

Broken 2^d rate land Beech, Sugar, Oak, Ash,
undergrowth Spice. November 18th 1819.

Surveyed By

Pethuel F. Morris A. S.

I certify that the foregoing transcript of field
notes of township N. 7. N. Range N. 7 East 2.
Mer. Indiana, has been compared with the
Original notes in this Office, and found to be
Correct.

Surveyor General's Office
Cincinnati, Sept. 21. 1842

William Johnston
Sur. Genl.